

TECHNICAL DATA SHEET

DIESEL SMOKE REDUCER

Reduces Diesel Engine Smoke Emissions

DESCRIPTION:

Rymax Diesel Smoke Reducer is designed to reduce smoke emissions from diesel engines caused by incomplete combustion or excessive oil consumption.

Usage

For all diesel engines (incl. common rail) with or without turbochargers running on low or normal sulphur level diesel fuel.

How to use?

Pour the contents of one bottle in the fuel tank before filling it with diesel fuel.

Dosage

For 40-60 liters of diesel fuel, use one 250 ml bottle. For intensive or sportive use, use one bottle for each tank fill-up.



BENEFITS:

- Enhances maximum combustion efficiency, optimizing the overall performance of the engine and ensuring a clean combustion chamber.
- Cleans injector channels and nozzles, facilitating complete combustion of the fuel.
- Suppresses exhaust smoke, resulting in a cleaner and more environmentally friendly operation.
- Improves overall engine performance, leading to enhanced power, responsiveness, and smooth operation.
- Reduces fuel consumption, promoting fuel efficiency and cost savings.

TYPICAL PROPERTIES

	Unit	
Density	g/cm3	0.801
Colour		Clear/Amber
Flash Point	°C	>61
Odor		Chracteristic



RYMAX LUBRICANTS B.V. Delweg 8
The Notherlands 6002 D 11

Delweg B 6902 PJ Zevenaar T +31 (0) 316 740 856

E info@rymax-lubricants.com W www.rymax-lubricants.com

