



TECHNICAL DATA SHEET

APOLLO ECO 0W-16

Full Synthetic Fuel Economy Engine Oil

DESCRIPTION:

Rymax Apollo ECO 0W-16 is an advanced fully synthetic product formulated for modern petrol engines and hybrid engines. This product is part of our ECO family where you will find 0W-20 and 0W-30 products as well. These high-quality oil products have a very low viscosity which results in less friction inside the engine, optimizing the fuel efficiency. Due to these technologies, fuel consumption can be reduced up to 3%. It is specially suitable for gasoline engines of hybrid vehicles from 2016 onwards of various brands, including Toyota, Honda and Lexus.



BENEFITS:

- Enhanced emission control system protection
- Protection of engines operating on ethanol-containing fuels up to E85
- Improved high temperature deposit protection of pistons and turbochargers
- More stringent sludge and varnish control
- Maximum protection against LSPI (Low Speed Pre-Ignition)

PERFORMANCE LEVELS:

- API SQ
- API SP
- API SP-RC
- ILSAC GF-7B
- ILSAC GF-6B

TYPICAL PROPERTIES

SAE	Unit	0W-16
Density 15 °C	Kg/m3	843
Viscosity 40 °C	cSt	36
Viscosity 100 °C	cSt	7.1
Viscosity Index		164
Pour Point	°C	-42
Flash Point	°C	>201



RYMAX LUBRICANTS B.V.

The Netherlands

Delweg 8
6902 PJ Zevenaar

T +31 (0) 316 740 856

E info@rymax-lubricants.com

W www.rymax-lubricants.com

[WWW.FACEBOOK.COM/RYMAXLUBRICANTS](https://www.facebook.com/RYMAXLUBRICANTS)

[WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](https://www.instagram.com/RYMAXLUBRICANTS)

All performance data on this Technical Data Sheet are indicative only and can vary during production

LUB003200

Version Number: 4

Date:
19-03-2026