



TECHNICAL DATA SHEET

APOLLO ECO 0W-30

Full Synthetic Fuel Economy Engine Oil

DESCRIPTION:

Rymax Apollo ECO 0W-30 is an advanced fully synthetic product formulated for the modern petrol and hybrid engines. This product is part of our ECO family where you will find 0W-16 and 0W-20 products as well. These high-quality oil products have a very low viscosity which results in less friction inside the engine, optimizing the fuel efficiency. Due to these technologies, fuel consumption can be reduced up to 3%. It is specially suitable for gasoline engines of hybrid vehicles from 2016 onwards of various brands, including Toyota, Honda and Lexus.



BENEFITS:

- Enhanced emission control system protection
- Protection of engines operating on ethanol containing fuels up to E85
- Improved high temperature deposit protection of pistons and turbochargers
- More stringent sludge and varnish control
- Improved fuel economy due to special friction modifier

PERFORMANCE LEVELS:

- API SP
- API SP-RC
- ILSAC GF-6A
- API CF

TYPICAL PROPERTIES

SAE	Unit	0W-30
Density 15 °C:	Kg/m3	847
Viscosity 40 °C	cSt	50.2
Viscosity 100 °C	cSt	9.7
Viscosity Index		182
Pour Point	°C	-42
Flash Point	°C	>201



RYMAX LUBRICANTS B.V. Delweg 8
The Netherlands 6902 PJ Zevenaar

T +31 (0) 316 740 856

E info@rymax-lubricants.com

W www.rymax-lubricants.com

f www.facebook.com/RYMAXLUBRICANTS

@ www.instagram.com/RYMAXLUBRICANTS

All performance data on this Technical Data Sheet are indicative only and can vary during production

LUB003046

Version Number: 3

Date:
01-07-2023