

## **TECHNICAL DATA SHEET**

# SILICONE SPRAY

**Lubricate, Shine and Protect** 

## **DESCRIPTION:**

Rymax Silicone Spray is a general purpose, low viscosity silicone oil and can for example be used to lubricate and protect metal and non-metal surfaces, maintenance of plastic parts, rubbers, hinges, locks, household rails, cables, valves & more. The powerful formula of the spray ensures excellent lubrication while not leaving any stains.

## **Applications**

- Suitable for light lubrication of metals, plastics, and rubbers to reduce friction and wear on mechanical parts.
- Ideal for application on rails to prevent dirt and grease deposits.
- Gives plastics and rubber a glossy finish.

#### How to use?

- Shake the can well before use.
- Maintain a spray distance of 15-20 cm from the area to be treated.
- Spray the product onto clean parts that require lubrication.
- Avoid excessive lubrication; apply an appropriate amount.
- Do not apply the product to equipment while food is being processed or transported.

This product should not be used on parts which are likely to be painted. Do not use on brake drums and brake discs.



### **BENEFITS:**

- · Lubricates moving parts effectively.
- Reduces friction and minimizes wear on surfaces.
- Provides rust and corrosion resistance, helping to protect surfaces.
- Creates a water-repellent barrier, preventing moisture damage.
- Offers electric insulation properties for added safety.
- Suitable for both indoor and outdoor use.
- The aerosol can be used in any angle (360°), allowing for easy application in various positions.

#### **TYPICAL PROPERTIES**

Contents	Unit	400 ml
Basis		Organic solvents
Density	g/ml	0.737
Propellant		Propane/butane
Colour	Visual	Transparent
Vapor Pressure at 20 °C	Bar	3.0
Temperature Resistant	°C	-30 to 150 °C
Volume organic component (VOC)	%	92